

# Suggested List Price Standard Equipment and Accessories



QUALITY MANAGEMENT SYSTEM  
CERTIFIED BY DNV  
== ISO 9001:2008 ==

## TABLE OF CONTENTS

Ice Machines.....3-12  
 Standard Remotes.....7  
 QuietQube® Remotes & Ice Beverage.....8-9  
 Flake Ice Machines.....10-11  
 Nugget Ice Machines.....12  
 Dispensers.....13  
 Ice Storage Bins.....14  
 Bin Adapters & Deflector Kits.....15-16  
 Accessories.....17-19

## NOTATIONS

Shipping weights are approximate.

## TERMS

### Terms

Terms are as Company may extend to purchaser.

### Terms for Parts

C.O.D. (Deviation on authorization of Credit Department only.)

### Returned Parts

Will not serve as an offset for accounting purposes. Credits for returned parts are issued by our Parts Department after inspection of returned defective parts indicates a credit is in order.

### Prices

Prices are F.O.B. Manitowoc, Wisconsin. All prices and specifications are subject to change without notice.

## COMMERCIAL WARRANTY

### Warranty - Cube Ice Machine

- 5-year parts-and-labor coverage on Indigo, S, Q, SQ, QQ and IB-model ice machine evaporators.
- 5-year parts and 3-year labor coverage on Indigo, S, Q, SQ, QQ and IB-model ice machine compressor.
- 3-year parts-and-labor coverage on all dispensers, storage bins, and Indigo, S, Q, SQ, QQ and IB-model ice cube machines.

### Warranty - QM Series Ice Machine

- 3-year parts-and-labor coverage on all components.

### Warranty - SM Series Ice Machine

- 3-year parts-and-labor coverage on all components.

### Warranty - RF/RN Ice Machines

- 3-year parts.
- 2-year labor.
- Compressor parts for 5 years and labor for 2 years.

### Warranty - SN/QF Series Ice Machine

- 2-year parts-and-labor coverage on all components.
- Compressor parts for 5 years and labor for 2 years.

## RESIDENTIAL WARRANTY

### Warranty - All Ice Machines

- 1-year parts-and-labor


## ICE STYLES

- Dice Cube .....7/8" x 7/8" x 7/8"
- Half Dice Cube .....3/8" x 1-1/8" x 7/8"  
98% ice to water ratio.
- Regular Cube.....1-1/8" x 1-1/8" x 7/8"  
98% ice to water ratio.
- Gourmet Cube .....1-3/8" x 1-3/8"  
octagon shape cube (SM-50 model).  
98% ice to water ratio.
- Nugget Ice.....Countertop Ice Makers  
3/10" x 3/10" x 1/2"  
80% ice to water ratio.
- Tubular  
Nugget Ice.....Modular Ice Makers  
5/8" cylindrical  
90% ice to water ratio.
- Flake Ice .....Flake ice is smaller  
bits of ice. 73% ice to  
water ratio.

## ICE STORAGE CAPACITY


The calculation used to determine actual ice storage capacity varies among manufacturers, most use the AHRI standard. When the AHRI standard is not referenced, use cubic feet capacity for accurate comparison between manufacturer's models.







## DIMENSION DRAWINGS



Height includes legs set at 6.00".  
 Legs adjust from 6.00" to 7.50".

## HOW TO READ A MODEL NUMBER




	Model	Condenser Type	Cube Size	Shipping Weight	115/60/1-161	208-230/60/1-261	
SM-50	 W 14.75" D 22.75" H 33.5" *53 lbs. daily at 70/50°	<b>SM-50A</b>	Air Cooled	Standard Octagon	114 lbs.	<b>\$3,232</b>	
		AHRI Ice storage capacity 25 lbs., includes AR-2800 water filter, bin light, and delay start ice making. If gravity drain is not available a DRAIN PUMP can be purchased separately and installed inside the machine during installation. Includes 6' power cord with NEMA 5-15P plug. Cannot use with AuCS cleaning system.					
<b>IMPORTANT NOTE:</b> Use only Metal Safe Cleaner 000000084 on this product. Other cleaners will damage the evaporator and will not be covered under warranty.							
QM-30	 W 19.69" D 22.34" H 36" *60 lbs. daily at 70/50° *49 lbs. daily at 90/70°	<b>QM-30A</b>	Air Cooled	Dice	109 lbs.	<b>\$3,300</b>	
		Ice storage capacity 30 lbs. Includes 6' power cord with NEMA 5-15P plug. Cannot use with AuCS cleaning system..					
QM-45	 W 19.69" D 22.34" H 36" *95 lbs. daily at 70/50° *62 lbs. daily at 90/70°	<b>QM-45A</b>	Air Cooled	Dice	114 lbs.	<b>\$3,608</b>	
		Ice storage capacity 30 lbs. Includes 6' power cord with NEMA 5-15P plug. Cannot use with AuCS cleaning system.					
Q-130/Q-170	 W 26.00" D 26.50" H 38.50" Q-130: *130 lbs. daily at 70/50° *90 lbs. daily at 90/70° Q-170: *175 lbs. daily at 70/50° *128 lbs. daily at 90/70°	<b>QD-0132A</b>	Air Cooled	Dice	153 lbs.	<b>\$3,808</b>	<b>\$3,858</b>
		<b>QD-0133W</b>	Water Cooled	Dice	153 lbs.	<b>\$3,808</b>	<b>\$3,858</b>
		<b>QY-0134A</b>	Air Cooled	Half Dice	153 lbs.	<b>\$3,808</b>	<b>\$3,858</b>
		<b>QY-0135W</b>	Water Cooled	Half Dice	153 lbs.	<b>\$3,808</b>	<b>\$3,858</b>
		<b>QD-0172A</b>	Air Cooled	Dice	155 lbs.	<b>\$4,043★</b>	
		<b>QY-0174A</b>	Air Cooled	Half Dice	155 lbs.	<b>\$4,043★</b>	
		Ice storage capacity 80 lbs. Includes 6' power cord with NEMA 5-15P plug. Cannot use with AuCS cleaning system.					
		Includes 6' power cord with NEMA 5-15P plug. Cannot use with AuCS cleaning system.					
Q-210	 W 26.00" D 26.50" H 38.50" *215 lbs. daily at 70/50° *147 lbs. daily at 90/70°	<b>QD-0212A</b>	Air Cooled	Dice	157 lbs.	<b>\$4,488★</b>	<b>\$4,538★</b>
		<b>QD-0213W</b>	Water Cooled	Dice	160 lbs.	<b>\$4,488</b>	<b>\$4,538</b>
		<b>QY-0214A</b>	Air Cooled	Half Dice	159 lbs.	<b>\$4,488★</b>	<b>\$4,538★</b>
		<b>QY-0215W</b>	Water Cooled	Half Dice	159 lbs.	<b>\$4,488</b>	<b>\$4,538</b>
		Ice storage capacity 80 lbs. Includes 6' power cord with NEMA 5-15P plug. Cannot use with AuCS cleaning system.					
Q-270	 W 30.00" D 28.16" H 38.50" *280 lbs. daily at 70/50° *204 lbs. daily at 90/70°	<b>QD-0272A</b>	Air Cooled	Dice	208 lbs.	<b>\$5,280</b>	<b>\$5,330</b>
		<b>QD-0273W</b>	Water Cooled	Dice	211 lbs.	<b>\$5,280</b>	<b>\$5,330</b>
		<b>QY-0274A</b>	Air Cooled	Half Dice	209 lbs.	<b>\$5,280</b>	<b>\$5,330</b>
		<b>QY-0275W</b>	Water Cooled	Half Dice	211 lbs.	<b>\$5,280</b>	<b>\$5,330</b>
		Ice storage capacity 100 lbs. Includes 6' power cord with NEMA 5-15P plug. Cannot use with AuCS cleaning system.					

★ ENERGY STAR® Qualified Model

Air filter standard on self-contained air-cooled ice cube machines.

\*Daily ice production based on air-cooled condenser model at air temperature/water temperature.

i-300 Series



W 30" D 24.50" H 16.50"

\*310 lbs. daily at 70/50°

\*235 lbs. daily at 90/70°

Model	Condenser Type	Cube Size	Shipping Weight	115/60/1 -161	208-230/60/1 -261
ID-0302A	Air Cooled	Dice	142 lbs.	\$4,528 ★	\$4,578 ★
ID-0303W	Water Cooled	Dice	139 lbs.	\$4,528	\$4,578
IY-0304A	Air Cooled	Half-Dice	147 lbs.	\$4,528 ★	\$4,578 ★
IY-0305W	Water Cooled	Half-Dice	144 lbs.	\$4,528	\$4,578

**Optional Configurations:**


**LuminIce Growth Inhibitor** (Add "X" to end of model number) + \$480 + \$480



**Recommended Bins:** B-170 or B-400 (see page 14).  
See pages 15 & 16 for required adapters, deflectors, and dispenser baffles.

Not Stackable

i-322 Series



W 22" D 24.50" H 21.50"

\*350 lbs. daily at 70/50°

\*230 lbs. daily at 90/70°

Model	Condenser Type	Cube Size	Shipping Weight	115/60/1 -161	208-230/60/1 -261
ID-0322A	Air Cooled	Dice	137 lbs.	\$4,623 ★	\$4,673 ★
ID-0323W	Water Cooled	Dice	131 lbs.	\$4,623	\$4,673
IY-0324A	Air Cooled	Half-Dice	136 lbs.	\$4,623 ★	\$4,673 ★
IY-0325W	Water Cooled	Half-Dice	135 lbs.	\$4,623	\$4,673

**Optional Configurations:**

**LuminIce Growth Inhibitor** (Add "X" to end of model number) + \$480 + \$480


**High Pressure Water Valve** (Add "HP" to end of water-cooled model number) + \$790



**Recommended Bins:** B-320 or B-420 (see page 14).  
See pages 15 & 16 for required adapters, deflectors, and dispenser baffles.

Not Stackable

i-450 Series



W 30" D 24.50" H 21.50"

\*450 lbs. daily at 70/50°

\*335 lbs. daily at 90/70°

Model	Condenser Type	Cube Size	Shipping Weight	115/60/1 -161	208-230/60/1 -261
ID-0452A	Air Cooled	Dice	160 lbs.	\$4,777★	\$4,827★
ID-0453W	Water Cooled	Dice	141 lbs.	\$4,777	\$4,827
IY-0454A	Air Cooled	Half-Dice	170 lbs.	\$4,777★	\$4,827★
IY-0455W	Water Cooled	Half-Dice	155 lbs.	\$4,777	\$4,827

**Optional Configurations:**

**LuminIce Growth Inhibitor** (Add "X" to end of model number) + \$480 + \$480

**Correctional Model** (Add "P" to end of model number) + \$780 + \$780


**High Pressure Water Valve** (Add "HP" to end of water-cooled model number) + \$790



**Recommended Bins:** B-400 or B-570 (see page 14).  
See pages 15 & 16 for required adapters, deflectors, and dispenser baffles.

Not Stackable

i-522 Series



W 22" D 24.50" H 21.50"

\*485 lbs. daily at 70/50°

\*340 lbs. daily at 90/70°

Model	Condenser Type	Cube Size	Shipping Weight	115/60/1 -161	208-230/60/1 -261
IR-0520A	Air Cooled	Regular	143 lbs.	\$4,846	\$4,896
IR-0521W	Water Cooled	Regular	140 lbs.	\$4,846	\$4,896
ID-0522A	Air Cooled	Dice	143 lbs.	\$4,846★	\$4,896★
ID-0523W	Water Cooled	Dice	140 lbs.	\$4,846	\$4,896
IY-0524A	Air Cooled	Half-Dice	145 lbs.	\$4,846★	\$4,896★
IY-0525W	Water Cooled	Half-Dice	140 lbs.	\$4,846	\$4,896

**Optional Configurations:**

**LuminIce Growth Inhibitor** (Add "X" to end of model number) + \$480 + \$480

**Correctional Model** (Add "P" to end of model number) + \$780 + \$780


**High Pressure Water Valve** (Add "HP" to end of water-cooled model number) + \$790



**Recommended Bins:** B-320 or B-420 (see page 14).  
See pages 15 & 16 for required adapters, deflectors, and dispenser baffles.

Not Stackable

i-500 Series



W 30" D 24.50" H 21.50"

\*560 lbs. daily at 70/50°


\*410 lbs. daily at 90/70°

Model	Condenser Type	Cube Size	Shipping Weight	115/60/1 -161	208-230/60/1 -261
IR-0500A	Air Cooled	Regular	162 lbs.	\$5,159★	\$5,209★
IR-0501W	Water Cooled	Regular	158 lbs.	\$5,159	\$5,209
ID-0502A	Air Cooled	Dice	157 lbs.	\$5,159★	\$5,209★
ID-0503W	Water Cooled	Dice	163 lbs.	\$5,159	\$5,209
ID-0592N	Remote Air <sup>1</sup>	Dice	164 lbs.	\$5,040★	
IY-0504A	Air Cooled	Half-Dice	159 lbs.	\$5,159★	\$5,209★
IY-0505W	Water Cooled	Half-Dice	161 lbs.	\$5,159	\$5,209
IY-0594N	Remote Air <sup>1</sup>	Half-Dice	161 lbs.	\$5,040★	

**Optional Configurations:**

**LuminIce Growth Inhibitor** (Add "X" to end of model number) + \$480 + \$480


**High Pressure Water Valve** (Add "HP" to end of water-cooled model number) + \$790



**Recommended Bins:** B-400, B-570 or F-700 (see page 14).  
See pages 15 & 16 for required adapters, deflectors, and dispenser baffles.  
<sup>1</sup>Use JC-0495 remote condenser and RT( )R-404A tubing kit (see page 7).

Not Stackable

i-600 Series



W 30" D 24.50" H 21.50"  
 \*650 lbs. daily at 70/50°  
 \*500 lbs. daily at 90/70°

Model	Condenser Type	Cube Size	Shipping Weight	208-230/60/1-261	208-230/60/3-263
ID-0602A	Air Cooled	Dice	194 lbs.	\$5,850	
ID-0603W	Water Cooled	Dice	194 lbs.	\$5,850	
ID-0692N	Remote Air <sup>1</sup>	Dice	214 lbs.	\$5,733	
IY-0604A	Air Cooled	Half Dice	208 lbs.	\$5,850	
IY-0605W	Water Cooled	Half Dice	195 lbs.	\$5,850	
IY-0694N	Remote Air <sup>1</sup>	Half Dice	221 lbs.	\$5,733	

**Optional Configurations:**


**LuminIce Growth Inhibitor** (Add "X" to end of model number) + \$480

**Correctional Model** (Add "P" to end of model number) + \$780

**Recommended Bins:** B-400, B-570 or F-700 (see page 14).  
 See pages 15 & 16 for required adapters, deflectors, and dispenser baffles.  
<sup>1</sup>Use JC-0895 remote condenser and RT( )R-404A tubing kit (see page 7).

Not Stackable

i-850 Series



W 30" D 24.50" H 26.50"  
 \*940 lbs. daily at 70/50°  
 \*650 lbs. daily at 90/70°

IR-0850A	Air Cooled	Regular	213 lbs.	\$7,753	\$7,953
IR-0851W	Water Cooled	Regular	232 lbs.	\$7,753	\$7,953
IR-0890N	Remote Air <sup>1</sup>	Regular	232 lbs.	\$7,631	\$7,831
ID-0852A	Air Cooled	Dice	214 lbs.	\$7,753	\$7,953
ID-0853W	Water Cooled	Dice	212 lbs.	\$7,753	\$7,953
ID-0892N	Remote Air <sup>1</sup>	Dice	221 lbs.	\$7,631	\$7,831
IY-0854A	Air Cooled	Half Dice	218 lbs.	\$7,753★	\$7,953★
IY-0855W	Water Cooled	Half Dice	218 lbs.	\$7,753	\$7,953
IY-0894N	Remote Air <sup>1</sup>	Half Dice	218 lbs.	\$7,631★	\$7,831★


**Optional Configurations:**

**LuminIce Growth Inhibitor** (Add "X" to end of model number) + \$480 + \$480

**Recommended Bins:** B-570, B-970 or F-1300 (See page 14).  
 See pages 15 & 16 for required adapters, deflectors, and dispenser baffles.  
<sup>1</sup>Use JC-0895 remote condenser and RT( )R-404A tubing kit (see page 7).

Not Stackable

i-1000 Series



W 30" D 24.50" H 26.50"  
 \*1010 lbs. daily at 70/50°  
 \*745 lbs. daily at 90/70°

ID-1002A	Air Cooled	Dice	232 lbs.	\$8,968★	\$9,168★
ID-1003W	Water Cooled	Dice	228 lbs.	\$8,968	\$9,168
ID-1092N	Remote Air <sup>1</sup>	Dice	228 lbs.	\$8,844★	\$9,044★
IY-1004A	Air Cooled	Half Dice	241 lbs.	\$8,968★	\$9,168★
IY-1005W	Water Cooled	Half Dice	238 lbs.	\$8,968	\$9,168
IY-1094N	Remote Air <sup>1</sup>	Half Dice	236 lbs.	\$8,844★	\$9,044★

**Optional Configurations:**


**LuminIce Growth Inhibitor** (Add "X" to end of model number) + \$480 + \$480

**Correctional Model** (Add "P" to end of model number) + \$780 + \$780

**Recommended Bins:** B-570, C-730S, B-970, F-1300, F-1325, F-1650 or FC-1350 (See page 14).  
 See pages 15 & 16 for required adapters, deflectors, and dispenser baffles. <sup>1</sup>Use JC-0995 remote condenser and RT( )R-404A tubing kit (see page 7).

Not Stackable

i-1200 Series



W 30" D 24.50" H 29.50"  
 \*1205 lbs. daily at 70/50°  
 \*930 lbs. daily at 90/70°

ID-1202A	Air Cooled	Dice	241 lbs.	\$9,607★	\$9,807★
ID-1203W	Water Cooled	Dice	245 lbs.	\$9,607	\$9,807
IY-1204A	Air Cooled	Half Dice	252 lbs.	\$9,607★	\$9,807★
IY-1205W	Water Cooled	Half Dice	245 lbs.	\$9,607	\$9,807

**Optional Configurations:**


**LuminIce Growth Inhibitor** (Add "X" to end of model number) + \$480 + \$480

**Recommended Bins:** B-570, C-730S, B-970, F-1300, F-1325, F-1650 or FC-1350 (See page 14).  
 See pages 15 & 16 for required adapters, deflectors, and dispenser baffles. Refer to page 7 for remote condensers and tubing kits.

★ ENERGY STAR® Qualified Model

\*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

S-1400 Series



W 48" D 24.50" H 26.50"  
 \*1,450 lbs. daily at 70/50°  
 \*1,140 lbs. daily at 90/70°

Model	Condenser Type	Cube Size	Shipping Weight	208-230/60/1-261	208-230/60/3-263
SD-1402A	Air Cooled	Dice	292 lbs.	\$9,458★	\$9,658★
SD-1403W	Water Cooled	Dice	298 lbs.	\$9,458	\$9,658
SD-1492N	Remote Air <sup>1</sup>	Dice	293 lbs.	\$9,342★	\$9,542★
SY-1404A	Air Cooled	Half Dice	292 lbs.	\$9,458★	\$9,658★
SY-1405W	Water Cooled	Half Dice	294 lbs.	\$9,458	\$9,658
SY-1494N	Remote Air <sup>1</sup>	Half Dice	298 lbs.	\$9,342★	\$9,542★

**Optional Configurations:**


<b>Correctional Model</b> (Add "P" to end of model number)	+ \$780	+ \$780
<b>Automatic Cleaning System AuCS-SI</b> (Add "SI" to end of model number)	+ \$670	+ \$670



**Recommended Bins:** B-970, F-1300, F-1325, F-1650 or FC-1350 (See page 14).  
 See pages 15 & 16 for required adapters, deflectors, and dispenser baffles.  
<sup>1</sup>Use JC-1395 remote condenser and RL( )R-404A tubing kit (see page 7).

Not Stackable

S-1600 Series




W 48" D 24.50" H 29.50"  
 \*1,690 lbs. daily at 70/50°  
 \*1,302 lbs. daily at 90/70°

Model	Condenser Type	Cube Size	Shipping Weight	208-230/60/1-261	208-230/60/3-263
SD-1602A	Air Cooled	Dice	303 lbs.	\$12,322	\$12,522
SD-1692N	Remote Air <sup>1</sup>	Dice	308 lbs.	\$12,197	\$12,397
SY-1604A	Air Cooled	Half Dice	303 lbs.	\$12,322	\$12,522
SY-1694N	Remote Air <sup>1</sup>	Half Dice	316 lbs.	\$12,197	\$12,397

**Optional Configurations:**

<b>Correctional Model</b> (Add "P" to end of model number)	+ \$780	+ \$780
<b>Automatic Cleaning System AuCS-SI</b> (Add "SI" to end of model number)	+ \$670	+ \$670




**Recommended Bins:** B-970, F-1300, F-1325, F-1650 or FC-1350 (See page 14).  
 See pages 15 & 16 for required adapters, deflectors, and dispenser baffles.  
<sup>1</sup>Use JC-1395 remote condenser and RL( )R-404A tubing kit (see page 7).

Not Stackable

ICE MACHINE SECTIONS

S-1800 Series



W 48" D 24.50" H 29.50"  
 \*1,880 lbs. daily at 70/50°  
 \*1,444 lbs. daily at 90/70°

Model	Condenser Type	Cube Size	Shipping Weight	208-230/60/1-261	208-230/60/3-263
SD-1802A	Air Cooled	Dice	317 lbs.	\$12,402	\$12,602
SD-1803W	Water Cooled	Dice	319 lbs.	\$12,402	\$12,602
SD-1892N	Remote Air <sup>1</sup>	Dice	324 lbs.	\$12,288	\$12,488
SY-1804A	Air Cooled	Half Dice	321 lbs.	\$12,402	\$12,602
SY-1805W	Water Cooled	Half Dice	322 lbs.	\$12,402	\$12,602
SY-1894N	Remote Air <sup>1</sup>	Half Dice	330 lbs.	\$12,288	\$12,488

**Optional Configurations:**


<b>Correctional Model</b> (Add "P" to end of model number)	+ \$780	+ \$780
<b>Automatic Cleaning System AuCS-SI</b> (Add "SI" to end of model number)	+ \$670	+ \$670



**Recommended Bins:** B-970, F-1300, F-1325, F-1650 or FC-1350 (See page 14).  
 See pages 15 & 16 for required adapters, deflectors, and dispenser baffles.  
<sup>1</sup>Use JC-1395 remote condenser and RL( )R-404A tubing kit (see page 7).


Not Stackable

S-3300 Series



W 48" D 31" H 36"  
 \*3,380 lbs. daily at 70/50°  
 \*2,784 lbs. daily at 90/70°

Model	Condenser Type	Cube Size	Shipping Weight	208-230/60/1-261	208-230/60/3-263
SD-3303W3	Water Cooled	Dice	501 lbs.	\$23,103	
SD-3303W3HP	Water Cooled	Dice	501 lbs.	\$24,346	
SY-3305W3	Water Cooled	Half Dice	516 lbs.	\$23,103	
SY-3305W3HP	Water Cooled	Half Dice	516 lbs.	\$24,346	




**Recommended Bins:** F-1300, F-1325, F-1650 or FC-1350 (See page 14).  
 See pages 15 & 16 for required adapters and deflectors.  
 Not for use with AuCS cleaning system.

Not Stackable

★ ENERGY STAR® Qualified Model

\*Daily ice production based on half-dice air-cooled condenser model at air temperature/water temperature. S-3300 based on water-cooled condenser.

**MARINE ICE CUBE MACHINES (WATER-COOLED ONLY)**



**i-600**  
W 30" D 24.50" H 21.50"

**i-850**  
W 30" D 24.50" H 26.50"

**i-1000**  
W 30" D 24.50" H 26.50"


**S-1400**  
W 48" D 24.50" H 26.50"

**S-1800**  
W 48" D 24.50" H 29.50"

**S-3300**  
W 48" D 31.00" H 36.00"

	Model	70°/50°	90°/70°	Cube Size	Ship Weight	208-230/60/1 -261M	208-230/60/3 -263M	460/60/3 -463M
i-600	ID-0603W	650 lbs.	610 lbs.	Dice	194 lbs.	\$7,450		
	IY-0605W	650 lbs.	610 lbs.	Half Dice	195 lbs.	\$7,450		
i-850	ID-0853W	835 lbs.	740 lbs.	Dice	212 lbs.	\$9,353	\$9,553	
	IY-0855W	875 lbs.	810 lbs.	Half Dice	218 lbs.	\$9,353	\$9,553	
i-1000	ID-1003W	1,000 lbs.	955 lbs.	Dice	245 lbs.	\$10,568	\$10,768	\$11,468
	IY-1005W	1,075 lbs.	960 lbs.	Half Dice	245 lbs.	\$10,568	\$10,768	
S-1400	SD-1403W	1,430 lbs.	1,290 lbs.	Dice	303 lbs.	\$11,058	\$11,258	\$11,958
	SY-1405W	1,460 lbs.	1,310 lbs.	Half Dice	309 lbs.	\$11,058	\$11,258	
S-1800	SD-1803W	1,880 lbs.	1,670 lbs.	Dice	334 lbs.	\$14,002	\$14,202	\$14,902
	SY-1805W	1,890 lbs.	1,750 lbs.	Half Dice	337 lbs.	\$14,002	\$14,202	
S-3300	SD-3303W3	3,320 lbs.	2,820 lbs.	Dice	501 lbs.			\$25,403
	SY-3305W3	3,380 lbs.	2,930 lbs.	Half Dice	507 lbs.			\$25,403


**STANDARD REMOTE AIR-COOLED CONDENSER**



Model	For use with Remote Ice Machine	Shipping Weight	115/60/1 -161	208-230/60/1 -261
JC-0495	i-500 Series	64 lbs.	\$1,225	
JC-0895	i-600 and i-850 Series	78 lbs.		\$1,534
JC-0995	i-1000 Series	78 lbs.		\$1,567
JC-1395	S-1400, S-1600, and S-1800 Series	80 lbs.		\$1,601

*NOTE: For coated condenser coils, add \$200 to list price. This option is recommended for high salt spray environments. Must be requested at time of order.*

**STANDARD REMOTE TUBING KITS & ACCESSORIES**



Kit	For use with Series	Tubing Length	Shipping Weight	Suggested List Price
RT-20-R-404A	i-500, 600, 850, 1000 - Precharged	20 ft.	10 lbs.	\$355
RT-35-R-404A	i-500, 600, 850, 1000 - Precharged	35 ft.	15 lbs.	\$438
RT-50-R-404A	i-500, 600, 850, 1000 - Precharged	50 ft.	22 lbs.	\$526
RL-20-R-404A	S-1400, 1600, 1800 - Precharged	20 ft.	11 lbs.	\$355
RL-35-R-404A	S-1400, 1600, 1800 - Precharged	35 ft.	17 lbs.	\$438
RL-50-R-404A	S-1400, 1600, 1800 - Precharged	50 ft.	23 lbs.	\$526

**ACCESSORY**

K-00129	Remote Coupling Kit needed for non-Manitowoc Tubing	2 lbs.	\$121
---------	---	--------	-------


*NOTE: Manitowoc remote systems are only approved and warranted as a complete new package. Replacing an ice machine with an S-remote model requires a NEW condenser and line set. Use of a new multi-circuited condenser is approved when sized and installed as outlined in Manitowoc Product Information. Rack system applications are not approved.*

**TOP AIR DISCHARGE KIT**


Kit	For use with Series	Shipping Weight	Suggested List Price
K-00379	Indigo or S-Series 450, 500, and 600 models.	18 lbs.	\$311

# QUIETQUBE® ICE MACHINES


## QuietQube® Ice Machines



**i-680C**  
W 30" D 24.50" H 21.50"  
**i-870C / i-1070C**  
W 30" D 24.50" H 26.50"




**i-1470C**  
W 30" D 24.50" H 25.00"  
**i-1870C / i-2170C**  
W 30" D 24.50" H 29.50"



**S-3070C**  
W 48" D 31" H 36"

## Ice/Bev Ice Machines



**IB-690C**  
W 22" D 14" H 24"  
**IB-890C**  
W 22" D 14" H 26.50"  
**IB-1090C**  
W 22" D 14" H 30.50"

	Series	Daily Ice Production		Cube Shape	Shipping Weight	115/60/1-161
		70/50°	90/70°			
i-680C	ID-0682C	650 lbs.	505 lbs.	Dice	143 lbs.	\$5,703★
	IY-0684C	680 lbs.	510 lbs.	Half Dice	146 lbs.	\$5,703★
i-870C	ID-0872C	665 lbs.	580 lbs.	Dice	158 lbs.	\$7,259
	IY-0874C	815 lbs.	615 lbs.	Half Dice	161 lbs.	\$7,259
i-1070C	ID-1072C	950 lbs.	725 lbs.	Dice	161 lbs.	\$8,078★
	IY-1074C	970 lbs.	735 lbs.	Half Dice	164 lbs.	\$8,078★
i-1470C	ID-1472C	1,380 lbs.	1,120 lbs.	Dice	174 lbs.	\$9,210★
	IY-1474C	1,400 lbs.	1,190 lbs.	Half Dice	179 lbs.	\$9,210★
i-1870C	ID-1872C	TBD lbs.	TBD lbs.	Dice	210 lbs.	\$11,752
	IY-1874C	TBD lbs.	TBD lbs.	Half Dice	210 lbs.	\$11,752
i-2170C	ID-2172C	TBD lbs.	TBD lbs.	Dice	210 lbs.	\$11,974
	IY-2174C	TBD lbs.	TBD lbs.	Half Dice	210 lbs.	\$11,974
S-3070C	SD-3072C	2,850 lbs.	2,233 lbs.	Dice	423 lbs.	\$23,604★
	SY-3074C	2,910 lbs.	2,299 lbs.	Half Dice	423 lbs.	\$23,604★
IB-690C	IB-0694YC	640 lbs.	555 lbs.	Half Dice	122 lbs.	\$6,497★
IB-890C	IB-0894YC	800 lbs.	590 lbs.	Half Dice	130 lbs.	\$7,703
IB-1090C	IB-1094YC	1,000 lbs.	875 lbs.	Half Dice	148 lbs.	\$8,677★

### Optional Configurations:


**LuminIce Growth Inhibitor** (Add "X" to end of model number)

+ \$480

Note: LuminIce not available on S-3070C models.


Ice deflector K-00383 required for two i-1470, i-1870 or i-2170 units side by side. Single i-1470, i-1870 or i-2170 requires K-00385 when installing on B-970 ice storage bin or K-00382 when installing on non-Manitowoc bin. Single i-1470, i-1870 or i-2170 requires K-00386 when

installing on C-730 ice storage bin. Kit not to be used when installing on ice dispenser. i-680C, i-870C, and i-1070C require ice deflector K-00347 for F-Style or non-Manitowoc bins. S-3070C requires ice deflector K-00391 for F-Style or non-Manitowoc bins.




Ice Maker

+



Condensing Unit

+



Tubing

=


QuietQube®  
or  
Ice/Beverage  
Ice Making  
Components<sup>1</sup>

NOTE: Manitowoc remote systems are only approved and warranted as a complete new package. Replacing an ice machine with an Indigo or S-remote model requires a NEW condenser and line set. Only Manitowoc CVD condensing units are approved with QQ and IB Series machines.

<sup>1</sup>Ice dispenser or storage bin with appropriate adapter also required. Order all separately. NOTE: K-00336 dispenser thermostat kit optional. Recommended for high humidity location to reduce equipment sweating. Included with IB ice machines.


★ ENERGY STAR® Qualified Model

## CONDENSING UNITS



W 34" D 24.13" H 25.75"

iCVD-0695  
iCVD-0895  
iCVD-1095  
iCVD-1185  
iCVD-1485  
iCVD-1885  
RCU-1075  
RCU-1275  
RCU-2375



W 53" D 26" H 25.75"

iCVD-2095  
CVD-3085

Model	Condenser Type	For use with	Shipping Weight	208-230/60/1-261	208-230/60/3-263
ICVD-0695	Air-Cooled	i-680C, IB-690C	178 lbs.	\$2,333	\$2,433
ICVD-0895	Air-Cooled	i-870C, IB-890C	183 lbs.	\$2,471	\$2,571
ICVD-1095	Air-Cooled	i-1070C	183 lbs.	\$2,769	\$2,869
ICVD-1195	Air-Cooled	IB-1090C	208 lbs.	\$2,769	\$2,869
ICVD-1495	Air-Cooled	i-1470C	190 lbs.	\$2,913	\$3,013
ICVD-1895	Air-Cooled	i-1870C	195 lbs.	\$3,782	\$3,882
ICVD-2095	Air-Cooled	i-2170C	266 lbs.	\$6,180	\$6,280
CVD-3085	Air-Cooled	S-3070C	268 lbs.		\$8,115
RCU-1075	Air-Cooled	RN-1078C/RF-1278C	200 lbs.	\$2,469	\$2,569
RCU-1275	Air-Cooled	RN-1278C	220 lbs.	\$2,604	\$2,704
RCU-2375	Air-Cooled	RF-2378C	250 lbs.		\$3,337

*\*If water system is over 150PSIG order the high pressure valve option (CVD-1486WHP), add \$620 to the list price. High pressure valve maximum PSIG is 350.*

*NOTE: For coated condenser coils, add \$200 to list price. This option is recommended for high salt spray environments. Must be requested at time of order.*


CONDENSING UNITS

## QUIETQUBE® & IB REMOTE TUBING KITS & ACCESSORIES

Kit	Indigo-Series Remote Tubing Kits	Shipping Weight	Suggested List Price
RC-26	20' tubing length for iCVD-0695, 0895, 1095 and 1195 condensing units. Not precharged.	12 lbs.	\$250
RC-36	30' tubing length for iCVD-0695, 0895, 1095 and 1195 condensing units. Not precharged.	17 lbs.	\$361
RC-56	50' tubing length for iCVD-0695, 0895, 1095 and 1195 condensing units. Not precharged.	27 lbs.	\$577
RC-25	20' tubing length for iCVD1495, and 1895 condensing units. Not precharged.	14 lbs.	\$278
RC-35	30' tubing length for iCVD1495, and 1895 condensing units. Not precharged.	20 lbs.	\$415
RC-55	50' tubing length for iCVD1495, and 1895 condensing units. Not precharged.	31 lbs.	\$656
RC-28	20' tubing length for iCVD-2095 condensing units. Not precharged.	17 lbs.	\$358
RC-38	30' tubing length for iCVD-2095 condensing units. Not precharged.	25 lbs.	\$620
RC-58	50' tubing length for iCVD-2095 condensing units. Not precharged.	39 lbs.	\$1,007
K-00172	"S"-Trap kit for Indigo-Series iCVD-0695, 0895, 1095 and 1195 condensing units	1 lb.	\$66
K-00166	"S"-Trap kit for iCVD-1495, 1895, 2095, and CVD-3085 condensing units with line set rise over 20'.	1 lb.	\$66
Kit	Flake, Nugget, S-3085 Tubing Kits	Shipping Weight	Suggested List Price
RC-21	20' tubing length for RCU condensing units. Not precharged.	12 lbs.	\$200
RC-24	20' Tubing length for CVD-3085	37 lbs.	\$525
RC-31	30' tubing length for RCU condensing units. Not precharged.	17 lbs.	\$295
RC-34	30' Tubing length for CVD-3085	47 lbs.	\$765
RC-51	50' tubing length for RCU condensing units. Not precharged.	27 lbs.	\$480
RC-54	50' Tubing length for CVD-3085	73 lbs.	\$1,238
*IB Adapter For Cornelius Dispenser: Ordered and shipped from Manitowoc Ice			
K-00340	For 22" wide Enduro 150 for McDonald's ABS unit	26 lbs.	\$848
K-00341	24.5" Enduro 175	27 lbs.	\$930
K-00342	30" Enduro 200/250	31 lbs.	\$1,054
K-00343	44" Enduro 300	46 lbs.	\$1,256

QUIETQUBE® & IB REMOTE TUBING KITS & ACCESSORIES

RF-0244 / RF-0266



**RF-0244A** W 19.69" D 25.98" H 33.17"  
**RF-0266A** W 19.69" D 25.98" H 37.50"  
 \*181 lbs. daily at 70/50°  
 \*151 lbs. daily at 90/70°

Model	Condenser Type	Ice Shape	Shipping Weight	115/60/1 -161	208-230/60/1 -261	208-230/60/3 -261
<b>RF-0244A</b>	Air Cooled	Flake Ice	157 lbs.	<b>\$5,864</b>		
<b>RF-0266A</b>	Air Cooled	Flake Ice	168 lbs.	<b>\$6,028</b>		

**Ice storage capacity:** RF-0244A = 40 lbs.  
 RF-0266A = 60 lbs.

Includes 6' power cord with NEMA 5-15P plug.  
 Use cleaner (000000084) only with this model.  
 Not for use with AuCS cleaning system.

RF-0385 / RF-0399




**RF-0385A** W 29.06" D 27.17" H 39.52"  
**RF-0399A** W 29.06" D 27.17" H 46.16"  
 \*329 lbs. daily at 70/50°  
 \*273 lbs. daily at 90/70°

<b>RF-0385A</b>	Air Cooled	Flake Ice	224 lbs.	<b>\$6,721</b>		
<b>RF-0399A</b>	Air Cooled	Flake Ice	240 lbs.	<b>\$6,885</b>		

**Ice storage capacity:** RF-0385A = 88 lbs.  
 RF-0399A = 120 lbs.

Includes 6' power cord with NEMA 5-15P plug.  
 Use cleaner (000000084) only with this model.  
 Not for use with AuCS cleaning system.

RF-0644



W 29.17" D 26.69" H 45.96"  
 \*688 lbs. daily at 70/50°  
 \*510 lbs. daily at 90/70°


<b>RF-0644A</b>	Air Cooled	Flake Ice	258 lbs.	<b>\$8,862</b>		
-----------------	------------	-----------	----------	----------------	--	--

**Ice storage capacity:** 120 lbs.

Includes 6' power cord with NEMA 5-15P plug.  
 Use cleaner (000000084) only with this model.  
 Not for use with AuCS cleaning system.

\*Daily ice production based on air-cooled condenser model at air temperature/water temperature.

RFS-0300



W 22" D 23.6" H 26"  
 \*384 lbs. daily at 70/50°  
 \*286 lbs. daily at 90/70°


Model	Condenser Type	Ice Shape	Shipping Weight	115/60/1 -161	208-230/60/1 -261	208-230/60/3 -263
RFS-0300A	Air Cooled	Flake Ice	174 lbs.	\$5,689		



**Recommended Bins:** B-400 or B-570 (See page 14).  
 See pages 15 & 16 for required adapters.

Use cleaner (000000084) only with this model.  
 Not for use with SPA/SFA dispensers, AuCS Cleaning System, or K-00138 Caster Kit. **Not Stackable**

RFS-0650



W 22" D 23.6" H 26"  
 \*717 lbs. daily at 70/50°  
 \*540 lbs. daily at 90/70°


RFS-0650A	Air Cooled	Flake Ice	230 lbs.	\$7,478	\$7,478	
RFS-0650W	Water Cooled	Flake Ice	230 lbs.	\$7,478	\$7,478	



**Recommended Bins:** B-320 or B-420 (see page 14).  
 See pages 15 & 16 for required adapters, deflectors, and dispenser baffles.

Use cleaner (000000084) only with this model.  
 Not for use with SPA/SFA dispensers, AuCS Cleaning System, or K-00138 Caster Kit. **Not Stackable**


RF-1200



W 25.2" D 18.5" H 27.56"  
**RF-1200:**  
 \*1,194 lbs. daily at 70/50°  
 \*874 lbs. daily at 90/70°  
**RF-1278C & RF-1279R:**  
 \*1,092 lbs. daily at 70/50°  
 \*958 lbs. daily at 90/70°

RF-1200A	Air Cooled	Flake Ice	263 lbs.		\$9,818	
RF-1200W	Water Cooled	Flake Ice	263 lbs.		\$9,818	
RF-1278C**	QuietQube Remote	Flake Ice	186 lbs.		\$8,200	
RF-1279R	Low-Side/Rack	Flake Ice	186 lbs.		\$8,200	

\*\*Requires RCU1075 remote condensing unit and RC-21, 31, 51 tubing kit.




**Recommended Bins:** B-400, B-570, B-970<sup>1</sup> (See page 14).

See pages 15 & 16 for required adapters.

<sup>1</sup>B-970 bin requires 48" B-style bin adapter K-00405


**Standard Equipment:** K-00404 30" B-Style Bin Adapter.  
 Use cleaner (000000084) only with this model.  
 Not for use with SPA/SFA dispensers, AuCS Cleaning System, or K-00138 Caster Kit. **Not Stackable**

RF-2300



W 36.77" D 26.92" H 27.56"  
 \*2,301 lbs. daily at 70/50°  
 \*1,665 lbs. daily at 90/70°

RF-2300A	Air Cooled	Flake Ice	452 lbs.			\$18,015
RF-2300W	Water Cooled	Flake Ice	452 lbs.			\$18,015




**Recommended Bins:** F-1300, F-1325, F-1650, FC-1350 (See page 14).

No additional adapter needed, use top provided with bin.

Use cleaner (000000084) only with this model.  
 Not for use with SPA/SFA dispensers, AuCS Cleaning System, or K-00138 Caster Kit. **Not Stackable**

RF-2378C



W 26.90" D 18.70" H 27.56"  
 \*2,063 lbs. daily at 70/50°  
 \*1,702 lbs. daily at 90/70°

RF-2378C**	QuietQube Remote	Flake Ice	279 lbs.		\$14,900	
RF-2379R	Low-Side/Rack	Flake Ice	282 lbs.		\$14,900	

\*\*Requires RCU2375 remote condensing unit and RC-21, 31, 51 tubing kit.




**Recommended Bins:**  
 B-970, F-1300, F-1325, F-1650, FC-1350 (See page 14).

See pages 15 & 16 for required adapters.


Use cleaner (000000084) only with this model.  
 Not for use with SPA/SFA dispensers, AuCS Cleaning System, or K-00138 Caster Kit. **Not Stackable**

\*Daily ice production based on air-cooled condenser model at air temperature/water temperature.

SN-12 / SN-20



W 16.25" D 24" H 35"  
\*300 lbs. daily at 70/50°  
\*236 lbs. daily at 90/70°




W 16.25" D 24" H 42"  
\*300 lbs. daily at 70/50°  
\*236 lbs. daily at 90/70°

Model	Condenser Type	Ice Shape	Shipping Weight	115/60/1 -161
SN-12A	Air Cooled	Nugget	184 lbs.	\$6,996
SN-12AT	Air Cooled	Nugget	184 lbs.	\$7,244
SN-20A	Air Cooled	Nugget	198 lbs.	\$8,295
SN-20AT	Air Cooled	Nugget	198 lbs.	\$8,544

**Note Dispensing Type:** "A" model is lever activated and "AT" model is sensor activated.  
3 dispensing options: ice, water, and ice/water together. Bin capacity is 12 lbs. and 20 lbs.  
Legs sold separately. **Use cleaner (000000084) only with this model.** Cannot use with AuCS cleaning system.

Kit	Description	Electrical	Shipping Weight	Suggested List Price
K-00377	Kit to convert from lever activated to touchless sensing dispensing option	115/60/1	3 lbs.	\$329
K-00345	Leg kit (Adjustable: 4.5"–6.5" cm)	—	3 lbs.	\$99

RN-400




W 22" D 24.50" H 26.50"  
\*385 lbs. daily at 70/50°  
\*294 lbs. daily at 90/70°

Model	Condenser Type	Ice Shape	Shipping Weight	115/60/1 -161	208-230/60/1 -261
RN-0408A	Air Cooled	Tubular Nugget	183 lbs.	\$6,239	

NOT STACKABLE. Use cleaner (000000084) only with this model.  
All dispenser manufacturers require a nugget ice adapter kit. Contact dispenser manufacturer for the kit that fits your application.  
Not for use with SPA/SFA dispensers or with AuCS cleaning system.  
Electrical 115/60/1/only  
Includes 7' (2m) power cord with NEMA 5-20 right angle plug.

RN-1000 / RN-1400




W 30" D 24.50" H 26.50"  
**RN-1000:** \*1083 lbs. daily at 70/50°  
\*821 lbs. daily at 90/70°  
**RN-1400:** \*1278 lbs. daily at 70/50°  
\*979 lbs. daily at 90/70°

RN-1008A	Air Cooled	Tubular Nugget	273 lbs.	—	\$10,282
RN-1009W	Water Cooled	Tubular Nugget	273 lbs.	—	\$10,282
RN-1408A	Air Cooled	Tubular Nugget	303 lbs.	—	\$12,683
RN-1409W	Water Cooled	Tubular Nugget	303 lbs.	—	\$12,683

NOT STACKABLE. Use cleaner (000000084) only with this model.  
All dispenser manufacturers require a nugget ice adapter kit. Contact dispenser manufacturer for the kit that fits your application.  
Not for use with SPA/SFA dispensers or with AuCS cleaning system.  
Electrical 208-230/60/1/only

K-00417 Sponge Cleaning Kit	1 lb.	\$28
-----------------------------	-------	------

RN-1078C / RN-1278C







W 22" D 24.5" H 26.5"  
**RN-1078C:** \*880 lbs. daily at 70/50°  
\*713 lbs. daily at 90/70°  
**RN-1278C:** \*1100 lbs. daily at 70/50°  
\*962 lbs. daily at 90/70°

RN-1078C**	QuietQube Remote Cooled	Nugget	194 lbs.	\$9,276	—
RN-1278C***	QuietQube Remote Cooled	Nugget	201 lbs.	\$10,707	—

\*\*Requires RCU1075 remote condensing unit and RC-21, 31, 51 tubing kit.  
\*\*\*Requires RCU1275 remote condensing unit and RC-21, 31, 51 tubing kit.  
NOT STACKABLE. Use cleaner (000000084) only with this model.  
All dispenser manufacturers require a nugget ice adapter kit. Contact dispenser manufacturer for the kit that fits your application.  
Not for use with SPA/SFA dispensers or with AuCS cleaning system.  
Condensing Unit: 208-230/60/1 or 208-230/60/3  
Electrical 115/60/1 only  
Includes 7' (2m) power cord with NEMA 5-15 right angle plug.

K-00417 Sponge Cleaning Kit	1 lb.	\$28
-----------------------------	-------	------

Air filter standard on self-contained air-cooled nugget and flake ice cube machines.  
\*Daily ice production based on air-cooled condenser model at air temperature/water temperature.


	Model	Description	Shipping Weight	115/60/1-161	208-230/60/1-261	
SFA-191 Series		<b>SFA-191</b>	120 lb. storage, floor standing dispenser with water valve.	167 lbs.	\$5,821	\$5,871
		<p>Patented "Push for Ice" rocking chute dispense mechanism. Stainless steel legs included. Accepts single 22" Dice or Half Dice size ice machine (order separately). Height includes legs set at 6.00". Legs adjust from 6.00" to 7.50". S-22" requires K-00348 baffle (included with dispenser). See pages 15 &amp; 16 for required adapters.</p> <p>W 22" D 31" H 54"</p>				
SFA-291 Series		<b>SFA-291</b>	180 lb. storage, floor standing dispenser with water valve.	214 lbs.	\$6,591	\$6,641
		<p>Patented "Push for Ice" rocking chute dispense mechanism. Stainless steel legs included. Accepts single 22" or 30" Dice or Half Dice size ice machine except Series 1000 and 1200 (order separately). S-30" requires K-00346 baffle (included with dispenser). Height includes legs set at 6.00". Legs adjust from 6.00" to 7.50". See pages 15 &amp; 16 for required adapters.</p> <p>W 30" D 32" H 60.50"</p>				
SPA-160 Series		<b>SPA-160 Push for Ice</b>	120 lb. storage, floor standing dispenser.	166 lbs.	\$4,943	\$4,993
		<b>SRA-164 Room card</b>	120 lb. storage, floor standing dispenser.	171 lbs.	\$5,091	\$5,141
		<b>SCA-163 Coin operated</b>	25-cent coin only. 120 lb. storage, floor standing dispenser.	168 lbs.	\$6,196	\$6,246
		<p>Patented "Push for Ice" rocking chute dispense mechanism. Stainless steel legs included. Accepts single 22" Dice or Half Dice size ice machine (order separately). Height includes legs set at 6.00". Legs adjust from 6.00" to 7.50". S-22" requires K-00348 baffle (included with dispenser). See pages 15 &amp; 16 for required adapters.</p> <p>W 22" D 31" H 54"</p>				
SPA-310 Series		<b>SPA-310 Push for Ice</b>	180 lb. storage, floor standing dispenser.	210 lbs.	\$5,600	\$5,650
		<b>SRA-340 Room card</b>	180 lb. storage, floor standing dispenser.	216 lbs.	\$5,755	\$5,805
		<b>SCA-330 Coin operated</b>	25-cent coin only. 180 lb. storage, floor standing dispenser.	215 lbs.	\$6,798	\$6,848
		<p>Patented "Push for Ice" rocking chute dispense mechanism. Stainless steel legs included. Accepts single 22" or 30" Dice or Half Dice size ice machine except Series S-1000 and S-1200 (order separately). Height includes legs set at 6.00". Legs adjust from 6.00" to 7.50". S-30" requires K-00346 baffle (included with dispenser). See pages 15 &amp; 16 for required adapters.</p> <p>W 30" D 32" H 60.50"</p>				

### MISCELLANEOUS

Kit	Description	Shipping Weight	Suggested List Price
<b>K-00364</b>	<b>DISPENSER THERMOSTAT KIT</b> - For use on dispensers only. Reduces ice machine overflow and condensation problems in high humidity locations. Includes universal mounting bracket.	2 lbs.	\$281
<b>K-00210</b>	<b>DISPENSER BAFFLE</b> - required for 30" Q-Series Manitowoc ice machine on non-Manitowoc and Q-dispensers. (Q-dispensers include this adapter.)	3 lbs.	\$62
<b>K-00346</b>	<b>DISPENSER BAFFLE</b> - required for use with any Manitowoc 30" S or Indigo Series ice machine in a dispenser application. Dispenser baffle is included with S-Series dispenser, no need to order. NOT required for i-1470, i-1870 and i-2170.	3 lbs.	\$62
<b>K-00348</b>	<b>DISPENSER BAFFLE</b> - required for use with any Manitowoc 22" S or Indigo Series ice machine in a dispenser application. Dispenser baffle is included with S-Series dispenser, no need to order. NOT required for i-1470, i-1870 and i-2170.	3 lbs.	\$68
<b>K-00336</b>	<b>ELECTRONIC BIN THERMOSTAT</b> - for IB dispenser or QF-400 flake ice machines using Ro/Di water. Included on all IB ice machines.	2 lbs.	\$288
<b>K-00395</b>	<b>S-3300 BIN THERMOSTAT KIT</b> - For use with S-3300	3 lbs.	\$407
<b>K-00400</b>	<b>CUP DISPENSING CHUTE KIT</b> - Narrower Dispenser chute for cup dispensing applications.	2 lbs.	\$83
<b>K-00433</b>	<b>INDIGO DISPLAY COVER</b> - Adheres to button guard bezel, which ships attached to ice maker, to completely hide display from exterior view. For use with all Indigo models.	1 lbs.	\$15


## ICE STORAGE BINS

### B-STYLE




**B-170**

W 30" D 29.50" H 25"




**B-320**

W 22" D 34" H 38"




**B-400**

W 30" D 34" H 38"




**B-420**

W 22" D 34" H 50"



**B-570**

W 30" D 34" H 50"



**B-970\*\***

W 48" D 34" H 50"

Model	Storage Capacity*		Shipping Weight	Suggested List Price
	AHRI/Lbs.	Cu. Ft.		
B-170	150	6.1	62 lbs.	<b>\$1,306</b>
B-320	210	8.9	75 lbs.	<b>\$1,566</b>
B-400	290	12.3	91 lbs.	<b>\$1,625</b>
B-420	310	12.9	108 lbs.	<b>\$1,658</b>
B-570	430	17.9	115 lbs.	<b>\$1,822</b>
B-970**	710	29.7	150 lbs.	<b>\$2,500</b>

One set of stainless steel legs included in bin price for B-Series bin. Height includes bin legs set at 6.00". Legs adjust from 6.00" to 7.75".

\*\*Previous C-950 bin requires K-00119 bin deflector when using Indigo or S-Series 22", 30" or 48". Use K-00385 ice deflector with i-1470C, i-1870C or i-2170C on B-970 Bin.




Model	Indigo Accessory	Shipping Weight	Suggested List Price
K-00426	22" Bin Level Control* (B-320 & B-400)	5 lbs.	<b>\$425</b>
K-00427	33" Bin Level Control* (B-420, B-570 & B-970)	5 lbs.	<b>\$475</b>

\*Bin level control overall length dimension includes holding bracket.


Bin Level Control only for use with Indigo-Series ice machines on B-Style bins.

### F-STYLE Large Capacity




**F-700**

W 30" D 31"† H 58.5"




**F-1300**

W 48" D 31"† H 63.5"




**F-1325**

W 60" D 31"† H 54.5"



**F-1650**

W 60" D 31"† H 63.5"



**FC-1350**

W 60" D 40"† H 73.5"

†Snout adds 8" to depth of ice bin.

Model	Storage Capacity*		Shipping Weight	Suggested List Price
	AHRI/Lbs.	Cu. Ft.		
F-700	680	20.3	195 lbs.	<b>\$4,281</b>
F-1300	1320	38	292 lbs.	<b>\$5,346</b>
F-1325	1325	39.7	300 lbs.	<b>\$5,826</b>
F-1650	1660	47.7	327 lbs.	<b>\$6,225</b>
FC-1350	1350	39.9	700 lbs.	<b>\$16,581</b>


One set of stainless steel legs included in bin price. Height includes bin legs set at 6.00". Legs adjust from 6.00" to 7.50".

†Bin includes adapter for one 30" or 48" Indigo or S-Series Cuber 300 to 1800 (see chart page 16)

For use with Manitowoc ice machines only

Model	Accessory	Shipping Weight	Suggested List Price
K-00412	46.5" Paddle (for 31" deep F Bins)	5 lbs.	<b>\$150</b>
K-00414	Shovel	10 lbs.	<b>\$150</b>
K-00416	Totes Carrier, Set of 6	34 lbs.	<b>\$941</b>
K-00418	Replacement Cart	75 lbs.	<b>\$2,351</b>
K-00419	58.5" Paddle (for FC-1350 Bin)	6 lbs.	<b>\$150</b>

### C-STYLE



**C-730S\***

W 42" D 31.50" H 46"

DuraTech™ exterior. Bin door, is gray ABS to match S-Model ice machine trim color. Bin leg is bullet design, adjustable from 6.00" to 7.00".

Model	Storage Capacity*		Shipping Weight	Suggested List Price
	AHRI/Lbs.	Cu. Ft.		
C-730S*	560	23.3	155 lbs.	<b>\$2,355</b>

One set of nickel plated brushed legs included in bin price. Height includes bin legs set at 6.00". Legs adjust from 6.00" to 7.00".

\*Includes K-00023 adapter to mount 30" ice machine to bin.

Use K-00386 ice deflector with S-1470C, S-1870C or S-2170 on C-730 Bin.

\*AHRI storage capacity for bins is based on 80% of total volume in cubic feet x 30 lb./ft.<sup>3</sup> average density of ice.

### Marine Bins

Model	Dimensions W x D x H°	Shipping Weight	Suggested List Price
MB-3044	30" x 34" x 44"	260 lbs.	<b>\$10,457</b>
MB-4844	48" x 34" x 44"	300 lbs.	<b>\$11,805</b>

One set of nickel plated brushed legs included in bin price. \*Height does not include bin legs. Legs adjust from 6.00" to 7.50". Ice deflector included with bin.

Outer and inner cabinet - 18 ga 304 stainless, cove corners in liner, stainless steel 6" flanged legs. Stainless steel ice scoop, 1-year warranty - material and workmanship.

## BIN ADAPTERS & ICE DEFLECTOR KITS

Kit	Adaption	Shipping Weight	Suggested List Price
K-00365	22" Q, S, Indigo, SN/SF, QC, QF, RFS or RN Ice Machine to 30" S and B Bins. <b>Not for IB</b>	8 lbs.	<b>\$160</b>
K-00365	22" Q, S, or Indigo Ice Machine to 30" S Dispenser. <b>Not for IB</b>	8 lbs.	<b>\$160</b>
K-00117	22" Q, S, Indigo, RFS or RN-400 Ice Machine to C-730S Bin. Not for IB	10 lbs.	<b>\$245</b>
K-00195	22" IB Series to 22" B/S-320 or B/S-420 Bin or SPA-160	10 lbs.	<b>\$276</b>
K-00196	22" IB Series to B/S-170, 400 or 570 Bin or SPA-310 or SFA-291	15 lbs.	<b>\$298</b>
K-00368	22" Q, S, Indigo, SN/SF, QC, QF, RFS or RN Ice Machine to B/S-970 Bin. <b>Not for IB</b>	18 lbs.	<b>\$260</b>
K-00371	Two SN, SF, QC, QF, RN-1078C and RN-1278C to B/S-970 Bin (water-cooled or QuietQube only)	8 lbs.	<b>\$221</b>
K-00370	30" Q, S, Indigo, RFS or RN Ice Machine to 48" B-970, S-970 Bin. No weight limit	34 lbs.	<b>\$372</b>
K-00369	30" Q, S or Indigo Ice Machine to 48" B-970 Bin. Weight limit 180 lbs. maximum (Models 280, 300, 450, 500 only.)	13 lbs.	<b>\$271</b>
K-00156	30" Q, S, Indigo or RN Ice Machine to C-900 or C-950 Bin – includes ice deflector	14 lbs.	<b>\$276</b>
K-00157	30" Q, S, Indigo or RN Ice Machine to C-970 Bin	10 lbs.	<b>\$286</b>
K-00396	S-3300 Ice Machine to B-1100-00 Bin	6 lbs.	<b>\$282</b>
K-00397	S-3300 Ice Machine to B-1400-00 Bin	60 lbs.	<b>\$1,457</b>
K-00170	Ice deflector required on Manitowoc F-Style, B-750, B-1050, B-1100, B-1400 bins or Non-Manitowoc bins for all Q-600, Q-800, and Q-1000 Series	6 lbs.	<b>\$151</b>
K-00139	Ice deflector required for Q-1800 on F-Style, B-750, B-1050, B-1100, B-1400 or non-Manitowoc bin	8 lbs.	<b>\$164</b>
K-00119	Ice deflector required for Q-1800, S-1400, S-1600 or S-1800 on C-900 and C-950 bin	8 lbs.	<b>\$130</b>
K-00211	Ice deflector for Q-Dual on Non-Manitowoc or F-Style, B-750, B-1050, B-1100, B-1400 bins	11 lbs.	<b>\$151</b>
K-00382	Ice deflector for i-1470C, i-1870C or i-2170C on non-Manitowoc or F-Style, B-750, B-1050, B-1100, B-1400 bins	8 lbs.	<b>\$153</b>
K-00383	Ice deflectors for two i-1470C, i-1870C or i-2170C units side by side on F-Style, B-1400 or non-Manitowoc bins	18 lbs.	<b>\$256</b>
K-00385	Adaptor and ice deflector for i-1470C, i-1870C or i-2170C on B-970. Before installation remove deflector in B-970 bin prior to installing K-00385	32 lbs.	<b>\$461</b>
K-00386	Adaptor and ice deflector for i-1470C, i-1870C or i-2170C on C730 bin.	7 lbs.	<b>\$236</b>
K-00347	Ice deflector for 30" S or Indigo ice machines on non-Manitowoc or F-Style, B-750, B-1050, B-1100, B-1400 bins	6 lbs.	<b>\$151</b>
K-00349	Ice deflector for 48" S-ice machine on non-Manitowoc F-Style, B-1100, B-1400 bins	12 lbs.	<b>\$179</b>
K-00391	Ice deflector set for S-3300 ice machine on non-Manitowoc or 48" or 60" F-Style, B-1100-00 or B-1400-00 bins	17 lbs.	<b>\$494</b>
K-00404	30" bin adapter kit for 25.2" RF Flake Ice Machines	11 lbs.	<b>\$217</b>
K-00405	48" bin adapter kit for 25.2" RF Flake Ice Machines	28 lbs.	<b>\$279</b>
K-00420	Filler Panel Kit allows 22" RN-1078C or RN-1278C to be placed on F-Style Bins with 30" opening (for use with adapter included with bin)	5 lbs.	<b>\$155</b>
K-00421	Filler Panel Kit allows two side by side 22" RN-1078C or RN-1278C to be placed on 60" F-Style Bins with two 30" openings (requires K-603030 or K-613030)	5 lbs.	<b>\$155</b>
K-00422	Adapter for RF-2378C Flaker and B-970 Bin	28 lbs.	<b>\$390</b>
K-303000	Adapter for 30" S or Indigo Cuber on F-700 bin	40 lbs.	<b>\$432</b>
K-302500	Adapter for 25.2" RF Flaker on F-700 bin	40 lbs.	<b>\$736</b>
K-483048	Adapter for 30" & 48" S or Indigo Cuber on F-1300 bin	45 lbs.	<b>\$789</b>
K-482500	Adapter for 25.2" RF Flaker on F-1300 bin	45 lbs.	<b>\$687</b>
K-603048	Adapter for 30" & 48" S or Indigo Cuber on F-1325 and F-1650 bins	52 lbs.	<b>\$915</b>
K-602500	Adapter for 25.2" RF Flaker on F-1325 and F-1650 bins	52 lbs.	<b>\$915</b>
K-604800	Adapter for S-3070C & S-3300 on F-1325 and F-1650 bins	52 lbs.	<b>\$1,034</b>
K-603030	Adapter for two 30" S or Indigo Cuber units side by side on F-1325 and F-1650 bins	52 lbs.	<b>\$915</b>
K-613048	Adapter for 30" & 48" S or Indigo Cuber on F-1350 bin	60 lbs.	<b>\$1,241</b>
K-612500	Adapter for 25.2" RF Flaker on F-1350 bin	60 lbs.	<b>\$1,241</b>
K-614800	Adapter for S-3070C & S-3300 on F-1350 bin	60 lbs.	<b>\$1,383</b>
K-613030	Adapter for two 30" S or Indigo Cuber units side-by-side on F-1350 bin	60 lbs.	<b>\$1,241</b>

## BIN ADAPTERS & ICE DEFLECTOR KITS FOR CURRENT MODELS

### ICE MACHINE

BIN

	i-320 <sup>3</sup> & i-520 <sup>3</sup>	i-300 <sup>4</sup>	i-450 <sup>4</sup> & i-500 <sup>4</sup>	i-600 <sup>4</sup>	i-850 <sup>4</sup> i-1000 <sup>4</sup> & i-1200 <sup>4</sup>	S-1400 <sup>5</sup> S-1600 <sup>5</sup> & S-1800 <sup>5</sup>	Q-1800 Stackable
B-170	K-00365				N/A	N/A	N/A
B-320		N/A	N/A	N/A	N/A	N/A	N/A
B-400	K-00365					N/A	N/A
B-420		N/A	N/A	N/A	N/A	N/A	N/A
B-570	K-00365					N/A	N/A
B-970	K-00368	K-00369	K-00369	K-00370	K-00370		
C-730 <sup>2</sup>	K-00117					N/A	N/A
C-900/950	N/A		K-00156	K-00156	K-00156	K-00119	K-00119
C-970	N/A		K-00157	K-00157	K-00157		
F-700 <sup>8</sup>	N/A		K-00347	K-00347	K-00347	N/A	N/A
F-1300 <sup>8</sup>	N/A		K-00347	K-00347	K-00347	K-00349	K-00139
F-1325 <sup>8</sup> F-1650 <sup>8</sup>	N/A		K-00347	K-00347	K-00347	K-00349	K-00139
FC-1350 <sup>8</sup>	N/A		K-00347	K-00347	K-00347	K-00349	K-00139
SPA-160		N/A	N/A	N/A	N/A	N/A	N/A
SPA-310	K-00348 & K-00365					N/A	N/A
Non-Manitowoc Dispensers	K-00348	K-00346	K-00346	K-00346	K-00346	N/A	N/A

### ICE MACHINE

BIN

	i-680C <sup>4</sup> , i-870C <sup>4</sup> i-1070C <sup>4</sup>	i-1470C <sup>1,6</sup> i-1870C <sup>1,6</sup> i-2170C <sup>1,6</sup>	IB-690C IB-890C & IB-1090C	RF-0300 <sup>8</sup> RF-0650 <sup>8</sup> RF-1200 <sup>8</sup> RF-1278C <sup>8</sup> RF-1279R	RN-400 RN-1078C RN-1278C	RFS-0300 RFS-0650	RF-2378C RF-2379R	RN-1000 RN-1400	S-3300 <sup>7</sup> S-3070C
B-170	N/A	N/A	K-00196		K-00365	K-00365	N/A		N/A
B-320	N/A	N/A	K-00195	N/A			N/A	N/A	N/A
B-400		N/A	K-00196		K-00365	K-00365	N/A		N/A
B-420	N/A	N/A	K-00195	N/A			N/A	N/A	N/A
B-570			K-00196		K-00365	K-00365	N/A		N/A
B-970	K-00369	K-00385	N/A	K-00405	K-00368	K-00368	K-00422	K-00370	N/A
C-730 <sup>2</sup>		K-00386	N/A	N/A	K-00117	K-00117	N/A		N/A
C-900/950	K-00156	N/A	N/A	N/A	N/A	N/A	N/A	K-00156	N/A
C-970	K-00157	N/A	N/A	N/A	N/A	N/A	N/A	K-00157	N/A
F-700 <sup>8</sup>	K-00347		N/A	K-302500	N/A	N/A	N/A		N/A
F-1300 <sup>8</sup>	K-00347		N/A	K-482500	K-00420	N/A	K-482500		Not Required
F-1325 <sup>8</sup> , F-1650 <sup>8</sup>	K-00347		N/A	K-602500	K-00420	N/A	K-602500		K-604800
FC-1350 <sup>8</sup>	K-00347		N/A	K-612500	K-00420	N/A	K-612500		K-614800
SPA-160	N/A	N/A	K-00195	N/A	N/A	N/A	N/A	N/A	N/A
SPA-310		N/A	K-00196	N/A	N/A	N/A	N/A	N/A	N/A
Non-Manitowoc Dispensers	K-00346	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

<sup>1</sup> K-00382 ice deflector for S-1470C, S-1870C or S-2170C on F-Style and non-Manitowoc bins.

<sup>2</sup> The K-00023 bin adapter is shipped with the C-730 bin.

<sup>3</sup> When putting two 22" units on B-970 bin use K-00371 – water-cooled or CVD remote only.

<sup>4</sup> When installing 30" Indigo single evaporator machine on F-Style and non-Manitowoc bins K-00347 deflector is required.

<sup>5</sup> When installing 48" S single evaporator machine on non-Manitowoc bin K-00349 deflector is required.

<sup>6</sup> K-00383 for use with two S-1470C, S-1870C, or S-2170C units side by side on 60" F-Style Bins.

<sup>7</sup> K-00391 Ice Deflector Kit when installing S-3300 on bin application.

<sup>8</sup> Adapter included for single head application unless otherwise noted.

**Note: Shaded area indicates NOT a product application.**

**Accessory prices are now included in the Standard Equipment Suggested Price List.**



**AuCS-SI**

**AuCS® AUTOMATIC CLEANING SYSTEM**

Kit	Description	Shipping Weight	Suggested List Price
<b>AuCS-A</b>	Automatic Cleaning System Accessory for ice machine <b>Series Q-280 through Q-1800, and Q-Dual</b> . Not available for the QM/Q under-counter series or with flake and nugget ice machines. This model uses bottles 000005163/000005162 or 000005165/000005164.	12 lbs.	<b>\$670</b>
<b>AuCS-SI</b>	Automatic Cleaning System Accessory for ice machine <b>Series S-450, S-500, S-600, S-850, S-1000, S-1200, S-1400, S-1600 and S-1800 only</b> . This option is installed inside of the machine and works with bottle part number 40-1326-3 and 40-1327-3. Empty bottles are included with the accessory and can be filled with gallon container 94-0580-3 and 94-0581-3. Power to the AuCS is supplied by the machine. When ordering, indicate electrical requirements; 115 volt 60 Hz – AuCS-SI-161 and 230 volt 50/60 Hz – AuCS-SI-271.	5 lbs.	<b>\$670</b>
<b>AuCS-SO</b>	Automatic Cleaning System Accessory for ice machine <b>S-300, S-322, S-422, S-1470C, S-1870C, S-2170C, and IB series</b> . Cannot be used with S3070C, S3000, nugget, flake and undercounter units. This option is installed on the outside of the machine and works in conjunction with cleaner and sanitizer bottle numbers 000005163/000005162 or 000005165/000005164. Installed outside of machine, but electrical is supplied from the machine. When ordering, indicate electrical requirements; 115 volt 60 Hz – AuCS-SO-161, and 230 volt 50/60 Hz – AuCS-SO-271.	11 lbs.	<b>\$670</b>
<b>iAuCS</b>	Automatic Cleaning System Accessory for all <b>Indigo Series Ice Machines 300 to 1800</b> . Cannot be used with S-Series, nugget, flake and undercounter units. This option is installed on the outside of the machine and works in conjunction with cleaner and sanitizer bottle numbers 000005163/000005162 or 000005165/000005164. Installed outside of machine. When ordering, indicate electrical requirements; 115 volt 60 Hz –IAuCS-161, and 230 volt 60 Hz – IAuCS-261	11 lbs.	<b>\$670</b>

*Note: AuCS Automatic Cleaning System cannot be used with flake and nugget ice machines.*

**LUMINICE GROWTH INHIBITOR**

Kit	Description	Shipping Weight	Suggested List Price
<b>K-00424</b>	LuminIce Growth Inhibitor for all Indigo Series Ice Machines	5 lbs.	<b>\$600</b>
<b>K-00425</b>	Replacement LuminIce Bulb	1 lb.	<b>\$79</b>



**AuCS-SO**

**REPLACEMENT CLEANER / SANITIZER for Cubers Only (through Parts Dept.)**

Kit	Description	Shipping Weight	Suggested Case List Price
	<b>Bottle replacements for AuCS-A, AuCS-SO, and iAuCS</b>		
<b>000005163</b>	Cleaner: 16 oz. bottle (sold in case of 4)	8 lbs.	<b>\$128</b>
<b>000005165</b>	Sanitizer: 16 oz. bottle (sold in case of 4)	8 lbs.	<b>\$136</b>
	<b>Non-hazardous labeling for USA shipment only</b>		
<b>000005162</b>	Cleaner: 16 oz. bottle (sold in case of 12)	18 lbs.	<b>\$240</b>
<b>000005164</b>	Sanitizer: 16 oz. bottle (sold in case of 12)	15 lbs.	<b>\$240</b>
	<b>Hazardous labeling</b>		
	<b>Refills for all AuCS Systems</b>		
<b>94-0580-3</b>	Cleaner: one gallon container (sold in case of 4)	45 lbs.	<b>\$244</b>
<b>94-0581-3</b>	Sanitizer: one gallon container (sold in case of 4)	36 lbs.	<b>\$248</b>
	<b>Hazardous labeling</b>		

*Note: The cleaning and sanitizing fluids are the same chemistry for all AuCS systems. The bottles used with the AuCS-SI are custom to the machine and included with the original system. If bottle replacements are needed for AuCS-SI, they are 9405543 and 9405443 available through Parts Dept. The gallon bottles can be used for refills on any system.*

**REPLACEMENT CLEANER / SANITIZER for SM-50, Flake & Nugget (through Parts Dept.)**

<b>000000084</b>	Metal-safe cleaner for SM-50, Flake & Nugget ice machines - 16 oz. bottles (sold in case of 12) – <b>non-hazardous labeling for USA shipment only</b>	14 lbs.	<b>\$276</b>
<b>000005164</b>	Sanitizer: 16 oz. bottle (sold in case of 12) - <b>hazardous labeling</b>	15 lbs.	<b>\$240</b>
<b>000005165</b>	Sanitizer: 16 oz. bottle (sold in case of 4) - <b>non-hazardous labeling for USA shipment only</b>	8 lbs.	<b>\$136</b>

**Accessory prices are now included in the Standard Equipment Suggested Price List.**



GUARDIAN®			
Kit	Description	Shipping Weight	Suggested List Price
GSI200	Slime inhibitor system for use with Q, IB, J, or B-Model Manitowoc ice machines. Includes one sachet with screws. Not for use with S-Series ice machines. Cannot be used with S-3070C, S-3000, Indigo, nugget, flake and undercounter units.	2 lbs.	\$188
K-00206	<b>Replacement Sachet</b> 200 gram Ice Sentry sachet refill—sold to distributor in masterpack of 6. Sachet refills come standard with sachet basket and two thumb screws. Used in Q and S-Series ice machines. Cannot be used with S3070C, S-3000, Indigo, nugget, flake and undercounter units.	3 lbs.	\$208



ARCTIC PURE® – WATER FILTER			
Model	Description	Shipping Weight	Suggested List Price
AR-PRE	Pre-filter assembly includes head, shroud, hardware, mounting assembly, and one filter cartridge. Use on all Manitowoc machines.	3 lbs.	\$273
AR-10000	Primary filter assembly, includes head, shroud, hardware, mounting assembly, and one filter cartridge. See below for sizing guide.	4 lbs.	\$379
AR-20000	Primary filter assembly includes head, shroud, hardware, mounting assembly, and one filter cartridge. See below for sizing guide.	5 lbs.	\$648
AR-40000	Primary filter assembly, includes head, shroud, hardware, mounting assembly, and two filter cartridges. See below for sizing guide.	11 lbs.	\$1,102

**Note: AR-PRE, AR-10000 and AR-20000 sold in master packs of six. AR-40000 sold individually.**

**Replacement Filter Cartridges**

K-00374	AR-2800 replacement (sold in case of 12). Used with SM-50.	12 lbs.	\$809
K-00337	AR-PRE replacement (sold in case of 12)	24 lbs.	\$1,075
K-00338	AR-10000 replacement (sold in case of 12)	24 lbs.	\$1,159
K-00339	AR-20000/40000 replacement (sold in case of 6)	18 lbs.	\$757
K-00344	Bin bracket for Arctic Pure water filter	4 lbs.	\$68
K-00173	Tri-L Pre-filter (sold in case of 12)	5 lbs.	\$227
K-00174	Tri-L Primary filter (sold in case of 12)	24 lbs.	\$1,461

**SIZING GUIDE**

Ice Machine	Model			
	AR-PRE	AR-10000	AR-20000	AR-40000
QM30	•	•		
QM45	•	•		
Q-130	•	•		
Q-170	•	•		
Q-210	•	•		
Q-270	•	•		
QF-400	•	•		
Q-1800	•			•
i-300	•	•		
i-320	•	•		
i-520	•	•		
i-450	•	•		
i-500	•	•		
i-600	•	•		
i-850	•		•	
i-1000	•		•	
i-1200	•			•
S-1400	•		•	
S-1600	•		•	
S-1800	•		•	
i-1470C	•		•	
i-1870C	•		•	

Ice Machine	Model			
	AR-PRE	AR-10000	AR-20000	AR-40000
i-2170C	•			•
IB-600	•	•		
IB-800	•		•	
IB-1000	•		•	
SN-12/20	•	•		
RN-400	•	•		
RN-1000	•			•
RN-1078C	•		•	
RN-1278C	•			•
RN-1400	•			•
RF-0244	•	•		
RF-0266	•	•		
RF/RFS-0300	•	•		
RF-0385	•	•		
RF-0399	•	•		
RF/RFS-0650	•		•	
RF/RFS-1200	•			•
RF-1278C	•		•	
RF-1279R	•		•	
RF-2300	•		•	
RF-2378C	•			•
RF-2379R	•			•

*The S-3300 is not compatible with existing filters.*

**Accessory prices are now included in the Standard Equipment Suggested Price List.**



STACKING KITS			
Kit	Description	Shipping Weight	Suggested List Price
K-00143	Q-1300/Q-1800 Stackable on a Q-1300/Q-1800 Stackable	32 lbs.	\$699
K-00216	Stacking 230V Relay Assembly - shuts off upper machine when lower machine senses a full bin.	1 lbs.	\$120

*NOTE: S-Series ice machines are NOT stackable.*



CONVENIENT ICE BAGGER			
Kit	Description	Shipping Weight	Suggested List Price
K-00146	Ice bagger assembly, includes bagger, B-Model bin adapter, and 250 bags and ties. Stainless steel finish.	25 lbs.	\$562
K-00068	<b>Replacement Bags/Ties</b> Bag Kit - includes 1,000 bags (4 wickets of 250) and ties.	34 lbs.	\$323



ICE SCOOP (THROUGH PARTS DEPT.)			
Kit	Description	Shipping Weight	Suggested List Price
3302583	6 oz. clear scoop for QM and SM Series (each)	2 lbs.	\$24
3302603	32 oz. white scoop (each) (Used for B-170 and Q-Series undercounter units.)	3 lbs.	\$14
3302593	82 oz. white scoop (each) (Used for ice bin B-320 and up.)	5 lbs.	\$13

DRAIN PUMP			
Kit	Description	Shipping Weight	Suggested List Price
K-00376	Drain Pump for SM-50A. Used where gravity drain not available. 12' rise and 100' run maximum.	7 lbs.	\$469



LEGS & CASTERS			
Model	Description	Shipping Weight	Suggested List Price
K-00063	2.5" Casters. For use with Series 130, 210, 270, QF400 and B-170 bin. Non-locking.	2 lbs.	\$245
K-00153	4.625" Adjustable Flange Foot - stainless steel	5 lbs.	\$208
K-00176	4" leg for QM30 or QM45 - black painted	3 lbs.	\$111
K-00215	QM Series leveler legs, adjusts from .5" to 1.25" - 1/2-13 thread	1 lbs.	\$55
K-00137	6" Adjustable Flange Foot - stainless steel for S and B Series bins	6 lbs.	\$208
K-00151	6" Adjustable Flange Foot - gray painted for S-Series bins	5 lbs.	\$122
K-00145	6" Adjustable Secured Flange Foot - stainless steel	6 lbs.	\$283
K-00144	12" Adjustable Flange Foot - stainless steel. Can use with undercounter machines and B170 and B400 Bin. Not for use with 22" unit, stacked units, dispensers, or the QM series.	8 lbs.	\$283
K-00138	Adjustable Caster Legs, 7.625" - 8.625" - stainless steel. Not for use with 22" unit, or any stacked units, dispensers, QMs or RF flakers. 2-locking casters and 2 non-locking per set.	16 lbs.	\$582
K-00350	6" Adjustable Legs - stainless steel standard on B-Series bins.	5 lbs.	\$99
K-00345	Leg kit for SM-50 & SN12/20 series ice machines.	3 lbs.	\$99

ACCESSORIES

**Spec sheets available online at [www.manitowocice.com](http://www.manitowocice.com)  
Follow the "Products" tab.**



#### SOLUTIONS

*Manitowoc Ice provides many of the operational solutions from Manitowoc Foodservice, a global company dedicated to bringing value to foodservice operators by equipping them with highly individualized real-world answers that enhance menus, service, profits and efficiency.*



#### FINANCE

*Manitowoc Foodservice offers low-rate, fast approval financing on all our leading brands through Manitowoc Finance. Preserve capital, simplify budgeting and get the equipment you need, today.*

To learn how Manitowoc Foodservice and its leading brands can equip you, visit our global web site at [www.manitowocfoodservice.com](http://www.manitowocfoodservice.com) then find the regional or local resources available to you.

